

GOVERNMENT OF TELANGANA  
ABSTRACT

RD - MGNREGS - Telangana and Other developmental schemes – Revision of Rural Standard Schedule of Rates (RSSR 2016-17) – Orders – Issued.

---

PANCHAYAT RAJ & RURAL DEVELOPMENT (RD) DEPARTMENT

G.O.MS.No. 31

Dated: 20/04/2016

Read the following:

1. G.O.Ms.No.39, PR&RD(RD) Dept., Dated:21-04-2015.
2. Notification of Ministry of Rural Development, Govt. of India, Dated:29-03-2016 (L.r.No.J-11011/1/2009-MGNREGA(Pt.)).

&&&

ORDER :

Government of India vide reference second read above has notified the wage rate for unskilled manual work taken up under MGNREGS as Rs.194/-.

2. Para.17 of MGNREG Act states that when wages are directly linked with the quantity of work, the wages shall be paid according to the schedule of rates fixed by the State Government for different types of work every year.

3. In order to ensure the revised wage rate to the unskilled wage seekers the task rates issued in the reference first read above are superceded and the Government orders for revision of the tasks rates (RSSR 2016-17) as annexed to the orders. The increased rates shall come into force on the 1<sup>st</sup> day of April 2016.

4. The RSSR 2016-17 is prepared in comprehensive with different categories of works taken up under MGNREGS.

5. The copy of the G.O. is available on website [www.goir.telangana.gov.in](http://www.goir.telangana.gov.in).

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF TELANGANA)

**S.P.SINGH**

SPECIAL CHIEF SECRETARY TO GOVERNMENT

**To**

The Director, PR&RD, Telangana, Hyderabad.

All the District Collectors and District Programme Coordinators,  
NREGS (through Director, RD).

All the Project Directors, DWMA & Addl. District Programme Coordinators,  
NREGS (through Director, RD).

All the Project Directors, DRDAs and Additional District Programme  
Coordinators, NREGS (through Director, RD).

All the Chief Executive Officers, ZPs and Additional District Programme  
Coordinators, NREGS (through Director, RD).

The Project Officer, ITDA and Additional District Programme Coordinators  
of Eturu Nagaram (Warangal), Bhadrachalam (Khammam), Utnoor (Adilabad)  
(through Director, RD).

**Copy to:**

The PS to Prl. Secretary, Finance (W&P) Dept., Hyderabad.

The PS to Spl. Chief Secretary, PR&RD Dept., Hyderabad.

The PS to Prl. Secretary, I&CAD Dept., Hyderabad.

The PS to Prl. Secretary, Tribal Welfare Dept., Hyderabad.

The PS to Secretary, TR&B Dept., Hyderabad.

The PS to Prl. Secretary, EFS&T Dept., Hyderabad.

The PS to Prl. Chief Conservator of Forests, Hyderabad

The Commissioner Disaster Management and EO Secy. to Govt.,

(P.T.O)

-:2:-

The Commissioner, APARD, Rajendranagar, Hyderabad.

The Commissioner, Tribal Welfare, Hyderabad.

The Engineer-in-Chief, Panchayat Raj Dept.

The Engineer-in-Chief, Irrigation Dept.

The Chief Engineer, Tribal Welfare.

The Special Officers of NREGS – Telangana Districts (through Director, RD).

The Superintending Engineers of Panchayat Raj all 9 Districts of  
Telangana (through Director, RD).

PR&RD (Genl) Dept., (2 copies)

SF/SC.

//FORWARDED::BY ORDER//

**SECTION OFFICER**

**ANNEXURE to G.O.Ms.No.31 , PR&RD (RD) Department, Dated:20.04.2016**

Sl. No.	Category No.	Item of Work	Rates approved in RSSR (2015-16) (G.O.Ms.No.39 PR&RD (RD)Dept., dated 21.04.2015) ( in Rs.)	Rates now approved to ensure mini. Wage of Rs.194/-(in Rs.)	Remarks
<b>1</b>		<b>Unskilled Labour</b>	180.00/-per day	194.00/-per day	-
	<b>Bush clearance</b>				
	a	Light shrub	4.46/-Sqm	4.81/- Sqm	-
	b	Medium and Dense Shrub /Besharam/ Rubber plants	5.64/-Sqm	6.08/- Sqm	-
	c	Thin stemmed Juliflora (stem with periphery upto 150 cms)/ thick shrub	11.21/-Sqm	12.08/- Sqm	Thick shrub is relevant in tribal areas only
	d	Thick stemmed Juliflora (stem with periphery more than 150 cms	16.80/-Sqm	18.11/- Sqm	-
<b>3</b>	<b>Removal of stumps</b>				
	a	Removal of stumps of girth 30cms to 99cms(small stumps)	116.96/- per each	126.06/- Per each	-
	b	Removal of stumps of girth 100cms to 199cms(medium stumps)	146.22/-per each	157.60/- Per each	-
	c	Removal of stumps of girth 200cms to 299 cms(large stumps)	190.07/- per each	204.86/- Per each	-
	d	Removal of stumps of girth 300cms to 399 cms(large stumps)	248.57/- per each	267.91/- Per each	-
	e	Removal of stumps of girth 400cms to 499 cms(large stumps)	321.69/- per each	346.72/- Per each	-
	f	Removal of stumps of girth 500cms to 599 cms(large stumps)	394.78/- per each	425.49/- Per each	-
<b>4</b>		Removal of water hycinth up to 30cms thick	5.56/-Sqm	5.99/- Sqm	-
<b>5</b>		Removal of water hycinth of more than 30cms thick	7.59/- Sqm	8.18/- Sqm	-

6	Earth work Excavation and depositing on bank with initial lead of 10 mt and initial lift of 2.0 mts in loamy and clayey soils like black cotton soils, red earth and chowdu soils				
	Category-I				
	a	Contour bunding/Earthen bunding	78.70/- Cum	84.82/- Cum	-
		Breaking of clods, tamping & sectioning for earthen bunding	26.97/- Cum	29.07/- Cum	
	b	Terrasing in Hill / slope areas	105.70/- Cum	113.92/- Cum	
	c	Land levelling			
	d	Conservative furrows			
	Category-II				
	a	Mini Percolation Tank/Percolation tank	105.70/- Cum	113.92/- Cum	-
	b	Recharge of dried up open well			
	c	Desilting and Deepening of existing check dams/percolation tanks			
	d	Rockfill dams, Gully control works, Loose boulder structure			
	e	Check Dam/Check wall			
	Category-III				
	a	Boundry Trench	146.03/- Cum	157.39/- Cum	-
	b	Trench - Cum -Bund			
	c	Silo pits			
	d	Compost pit			
	e	Cattle Proof Trenches			
	f	Periphery trench in MI tank			
	Category IV				
	a	Desilting of Open Well	105.70/-Cum	113.92/- Cum	-
	b	Desilting of Drinking Water Tanks/Cattle ponds			
	c	Earth work excavation of silt in tank beds (Silt application)			
	Category V				
	a	Formation of approach roads	105.70/- Cum	113.92/- Cum	-
	b	MI tanks			
	c	Flood Bund			

	d	Filling up of Low Lying and Water Logged Areas in INDIRAMMA Colonies				
	e	New Feeder/Field Channel				
	f	Construction of drains				
	g	Closure of abandoned open wells				
	<b>Category-VI</b>					
	a	Staggered trenches, Continuous Contour trenches	179.99/- Cum	193.99/- Cum	-	
	b	Farm Pond/Dugout pond/Sunken pit				
	c	Water Absorption trench at foot hills				
	d	Digging of new open well				
	<b>Category-VII</b>					
	<b>Plantation pits</b>					
	a	0.9 mtsX0.9 mtsX0.9 mts size pit	152.97/-Cum	164.87/- Cum	-	
	b	0.6 mts X 0.6 mtsX 0.6 mts size of pit				
	c	0.45 mts X 0.45 mtsX 0.45 mts size of pit				
	d	0.3 mts X 0.3 mtsX 0.3 mts size of pit	134.97/-Cum	145.47/- Cum	-	
7	<b>Earth work Excavation and depositing on bank with initial lead of 10 mt and initial lift of 2.0 mts in Hard soils like gravel, moram.,</b>					
	<b>Category-I</b>					
	a	Contour bunding/Earthen bunding	98.96/- Cum	106.66/- Cum	-	
		Breaking of clods, tamping & sectioning for earthen bunding	31.46/- Cum	33.91/- Cum		
	b	Terrasing in Hill / slope areas	130.45/-Cum	140.60/- Cum		
	c	Land levelling				
	d	Conservative furrows				
	<b>Category-II</b>					
	a	Mini Percolation Tank/Percolation tank	130.45/- Cum	140.60/- Cum	-	
	b	Recharge of dried up open well				
	c	Desilting and Deepening of existing check dams/percolation tanks				
	d	Rockfill dams, Gully control works, Loose boulder structure				
	e	Check Dam/Check wall				
	<b>Category-III</b>					
	a	Boundry Trench	152.97/-Cum	164.87/- Cum	-	
	b	Trench - Cum -Bund				
	c	Silo pits				
	d	Compost pit				
	e	Cattle Proof Trenches				
	f	Periphery trench in MI tank				

8	Category IV					
	a	Formation of approach roads	130.45/- Cum	140.60/- Cum	-	
	b	MI tanks				
	c	Flood Bund				
	d	Filling up of Low Lying and Water Logged Areas in INDIRAMMA Colonies				
	e	New Feeder/Field Channel				
	f	Construction of drains				
	g	Closure of abandoned open wells				
	Category-V					
	a	Staggered trenches, Continuous Contour trenches	202.46/-Cum	218.21/- Cum	-	
	b	Farm Pond/Dugout pond/Sunken pit				
	c	Water Absorption trench at foot hills				
	d	Digging of new open well				
	Category-VI					
	Plantation pits					
	a	0.9 mtsX0.9 mtsX0.9 mts size pit	173.21/-Cum	186.69/- Cum	-	
	b	0.6 mts X 0.6 mtsX 0.6 mts size of pit				
	c	0.45 mts X 0.45 mtsX 0.45 mts size of pit				
	d	0.3 mts X 0.3 mtsX 0.3 mts size of pit	152.97/-Cum	164.87/- Cum	-	
	Earth work Excavation and depositing on bank with initial lead of 10 mt and initial lift of 2.0 mts in soils with mixture of gravel, pebble and soft disintegrated rock like shales ordinary gravel, stoney earth and earth mixed with fair sized boulders					
	Category-I					
	a	Contour bunding/Earthen bunding	107.96/-Cum	116.36/- Cum	-	
		Breaking of clods, tamping & sectioning for earthen bunding	35.97/-Cum	38.77/- Cum		
	b	Terrasing in Hill / slope areas	143.97/-Cum	155.17/- Cum		
	c	Land levelling				
	d	Conservative furrows				
	Category-II					
	a	Mini Percolation Tank/Percolation tank	143.97/- Cum	155.17/- Cum	-	
b	Recharge of dried up open well					
c	Desilting and Deepening of existing check dams/percolation tanks					
d	Rockfill dams, Gully control works, Loose boulder structure					
e	Check Dam/Check wall					

8	Category-III				
	a	Boundry Trench	161.97/- Cum	174.57/-Cum	-
	b	Trench - Cum -Bund			
	c	Silo pits			
	d	Compost pit			
	e	Cattle Proof Trenches			
	f	Periphery trench in MI tank			
	Category IV				
	a	Formation of approach roads	143.97/- Cum	155.17/- Cum	-
	b	MI tanks			
	c	Flood Bund			
	d	Filling up of Low Lying and Water Logged Areas in INDIRAMMA Colonies			
	e	New Feeder/Field Channel			
	f	Construction of drains			
	g	Closure of abandoned open wells			
	Category-V				
	a	Staggered trenches, Continuous Contour trenches	197.96/- Cum	213.36/- Cum	-
	b	Farm Pond/Dugout pond/Sunken pit			
	c	Water Absorption trench at foot hills			
	d	Digging of new open well			
	Category-VI				
	Plantation pits				
	a	0.9 mtsX0.9 mtsX0.9 mts size pit	179.99/-Cum	193.99/- Cum	-
	b	0.6 mts X 0.6 mtsX 0.6 mts size of pit			
	c	0.45 mts X 0.45 mtsX 0.45 mts size of pit			
	d	0.3 mts X 0.3 mtsX 0.3 mts size of pit	161.97/-Cum	174.57/-Cum	-
9	Earth work Excavation and depositing on bank with initial lead of 10 mt and initial lift of 2.0 mts in soft disintegrated rock soils ( removable by pick axes and crow bars)				
	Category-I				
	a	Contour bunding/Earthen bunding	202.46/- Cum	218.21/- Cum	-
		Breaking of clods, tamping & sectioning for earthen bunding	40.50/- Cum	43.62/- Cum	
	b	Terrasing in Hill / slope areas	202.46/- Cum	218.21/- Cum	
	c	Land levelling			
	d	Conservative furrows			

9	Category-II				
	a	Mini Percolation Tank/Percolation tank	202.46/-Cum	218.21/- Cum	-
	b	Recharge of dried up open well			
	c	Desilting and Deepening of existing check dams/percolation tanks			
	d	Rockfill dams, Gully control works, Loose boulder structure			
	e	Check Dam/Check wall			
	Category-III				
	a	Boundry Trench	202.46/-Cum	218.21/- Cum	-
	b	Trench - Cum -Bund			
	c	Silo pits			
	d	Compost pit			
	e	Cattle Proof Trenches			
	f	Periphery trench in MI tank			
	Category-IV				
	a	Staggered trenches, Continuous Contour trenches	224.96/-Cum	242.46/- Cum	-
	b	Farm Pond/Dugout pond/Sunken pit			
	c	Water Absorption trench at foot hills			
	d	Digging of new open well			
	Category V				
	a	Formation of approach roads	202.46/-Cum	218.21/-- Cum	-
	b	MI tanks			
	c	Flood Bund			
	d	Filling up of Low Lying and Water Logged Areas in INDIRAMMA Colonies			
	e	New Feeder/Field Channel			
	f	Construction of drains			
	g	Closure of abandoned open wells			
10	Earth work Excavation and depositing on bank with initial lead of 10 mt and initial lift of 2.0 mts in silt in canals, channels and drains				
	a	Feeder/Field Channel and Irrigation drains upto 1.0 mt depth	78.70/- Cum	84.82/- Cum	-
	b	Renovation of spring channels			



11	<b>Earth work Excavation and depositing on bank with initial lead of 10 mt and initial lift of 2.0 mts in sandy soils or loose soils/wet sand not under water</b>				
	a	Land levelling for land development and Flood control Project	59.47/-Cum	64.10/- Cum	-
12	a	Benching with 0.45mx 0.45m size and 0.60mx0.30m size	26.97/-Cum	29.07/- Cum	-
13	<b>Carrying of earth / gravel by head loads – Leads &amp; Lifts</b>				
	a	For every additional Lead of 10 mts over and above initial lead of 10mt	22.47/-Cum	24.22/- Cum	-
	b	For every additional lift of 1mt over and above initial lift of 2mts	22.47/- Cum	24.22/- Cum	-
14	<b>Conveyance of silt , carted earth, stable casing soil and gravel excluding loading and unloading</b>				
	a	up to 1 km	31.50/- Cum	27.63/- Cum	Last year as per CSSR rates allowed, duly deducting 14%. But rates shown in RSSR without 14% deduction. However in software payment allowed after deducting 14% now the same rates are shown in the RSSR
	b	2 km	44.10/-Cum	38.68/- Cum	
	c	3 km	58.90/-Cum	51.67/- Cum	
	d	4km	71.50/-Cum	62.72/- Cum	
	e	5km	84.10/-Cum	73.77/- cum	
	f	6km	96.70/-Cum	84.82/- Cum	
	g	7 km	109.30/-Cum	95.88/- Cum	
	h	8 km	121.90/-Cum	106.93/- Cum	
	i	9 km	134.50/-Cum	117.98/- Cum	
	j	10 km	147.10/-Cum	129.04/- Cum	
15		Labour charges for Spreading of silt unloaded by tractor in the field	21.84/-Cum	23.54/- Cum	-
16		Labour charges for breaking clods, trimming, sectioning and manual compaction using Dimmisa	22.29/-Cum	24.02/- Cum	-
17	<b>Pebble bunding</b>				
	a	Small stone (size more than 40mm) bunding-Labour charges for collecting and putting as bund only.	236.21/-Cum	254.59/- Cum	-
18	<b>Stone revetment (Un skilled)</b>				
	a	Labour charges for revetment for all type of works	393.68/-Cum	423.31/- Cum	-
19	<b>Rough Stone Dry Packing &amp; Stone pitching (Unskilled)</b>				
	a	Rock Fill Dam, Stone Checks & Stone outlets – Labour charges for packing only.	224.96/-Cum	242.46/- Cum	-
	b	Stone Terracing – Labour charges for packing only.	224.96/-Cum	242.46/- Cum	-

20	<b>Plantation works</b>				
	<b>Category : I</b>				
	a	Survey and demarcation	29.21/- per100 nos	31.48/- Per 100 nos	-
	b	Alignment and fixing of planting point with 0.45 meters length sticks	84.29/- per100 nos	90.85/- Per 100 nos	-
	c	0.45 meter sticks preparation and transportation at site.	44.96/- per100 nos	48.46/- Per 100 nos	-
	d	i) Internal transportation of bag plants to planting points. (5"x9")	44.96/- per100 nos	48.46/- Per 100 nos	-
		ii) Internal transportation of Avenue Plantation. Tall plants	174.56/- per100 nos	188.14/- Per 100 nos	-
	e	Refilling of Pits and planting (mxmxm), staking stick			
		i) 0.30 X 0.30 X 0.30 Size pit	1.05/- each	1.13/- each	-
		ii) 0.45 X 0.45 X 0.45 Size pit	3.30/- each	3.55/- each	-
		iii) 0.60 X 0.60 X 0.60 Size pit	6.71/- each	7.23/- each	-
		iv) 0.90 X 0.90 X 0.90 Size pit	10.05/- each	10.82/- each	-
		v) 1.00 X 1.00 X 1.00 Size pit	11.21/- each	12.08/- each	-
	<b>Soil working and weeding</b>				
	<b>Category : I ( 1 M dia and 0.1 m Depth )</b>				
	a	Avenue Plantation	11.21/- each	12.08/- each	-
	b	Horticulture	11.21/- each	12.08/- each	-
	<b>Category : II (0.5 M dia and 0.1 m Depth )</b>				
	a	Fore shore plantation	3.30/- each	3.56/- each	-
	b	B.H.Afforestation	3.30/- each	3.56/- each	-
	c	Bio Diesel Plantation & Block plantation	3.30/- each	3.56/- each	-
21	<b>Causality Replacement for</b>				
	a	Reopening of Pits for avenue, Horticulture & Blok Plantations.	11.41/- each	12.30/- each	-
	b	Fore share plantation, Barren Hill Afforestation, Bio-Diesel	5.56/- each	5.99/- each	-

22		Watch & Ward and repair to Fence and soil working of each plant including pruning of branches for plantations raised in common property resource lands and lands of SC/ST/assignees.	179.99/- day	193.99/- each	-
23	<b>Bio Fencing / Brush Wood Fencing for barren hill afforestation.</b>				
	a	Nurseries, block plantation and fore shore plantation including collection, transportation and fixing at site	22.46/- Rmt	24.21/- Rmt	-
	b	Avenue Plantation including collection, transportation and fixing at site (Size of 1 m dia and 1.5 m height)	85.10/- each	91.72/- each	-
	c	Horticulture, for lands of SC-ST & Assignee lands only	2249.71/- acre	2422.74/- acre	-
	d	Horticulture fencing 1 <sup>st</sup> year & 2 <sup>nd</sup> year maintenance SC-ST& Assignee lands only.	562.41/- acre	606.17/- acre	-
24	<b>Deep Ploughing in</b>				
	a	Fallow Land and Hard Gravel soils (Depth not less than 0.3 meters) using ploughing tractors	1486.74/- acre	1601.41/- acre	-
	b	fallow land in ordinary soils using ploughing tractor depth not less than 0.3 m	1189.61/- acre	1282.16/- acre	-
	c	Cattle cultivator (Double ploughing) in ordinary soils.	893.54/- acre	963.06/- acre	-
25		Watering to the plants of block plantation from the sump constructed (where ever one sump is available per one acre)	2.85/- plant	2.85/- plant	No change
26		Watering the plants in Block plantation by bringing the water from near by water source (Hand pump/Bore well/Open well etc.,)	4.02/- plant	4.02/- plant	No change
27		Watering the plants in Avenue plantation by bringing the water from near by water source (Hand pump/Bore well/Open well etc.,)	5.01/- plant	5.01/- plant	No change
28		Hire charges of tractor mounted water tanker for filling sump	447.30/- per one trip of 5000 ltrs capacity	482/- per one trip of 5000 ltrs capacity	-
29		Sharpening of crowbar	10/- per day	10/- per day	No change
30		Basket Replenishment charges	3/- per day	3/- per day	No change

**S.P.SINGH**  
SPECIAL CHIEF SECRETARY TO GOVERNMENT